Installation manual for


1705D26SDG

Dimensions : D26"*H5"

Collection : Malta Hang

Bulb Type : LED strip 32W 3000K

Lamp Frame Weight: 16 LBS Total Weight: 22 LBS



Thank you for choosing our product(s).

Our Company is actively involved in every step of the production.

Our product(s) are designed to be utilized for every application that graces your home or business.

application that graces your home or business. We pride ourselves in providing the most prompt and courtesy service to all of the valued customers. Please find the enclosed detailed instruction and read carefully for proper installation. If you have any questions,

1-888-388-3390 (L) C (L) US

our professional customer service team is committed to assisting you, please call our toll free HOTLINE AT:

SAFETY

WARNING: MAKE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF BY EITHER REMOVING THE FUSE OR TURN OFF THE CIRCUIT BREAKER.


AUTION

- Before assembling the lighting fixture, please read all instructions carefully.
- All frame & crystal components are fragile, please handle with care.
- Required supply circuit: 110 130V/60Hz.
- Labeled wires are "L" for live wire, "N" for neutral wire, "E" for ground wire.
- Never install fixture on damp ceiling, the room should be dry and well ventilated.
- All electrical components must be installed by a licensed electrician and in accordance with the National Electrical Code and the appropriate local electrical codes.

UNPACK THE PACKAGE

Please open the box carefully and check all the items are inside the box. If you have any installation, assembling and missing parts questions, please call our Customer Service department at 1-888-388-3390. Please have model number (at the front page), where you purchase from and any other relevant information ready, our customer service team will provide comprehensive and worry free service to our valued customers.

Frame Assembly Diagram



1705D26 D26"*н5"

Step 1
Please use the parts list to ensure you are not missing any parts.

1705D26
PARTS LIST

PARTS LIST

P08	P07	P06	P05	P04	P03	P02	P01	ZG	ZF	ZE	ZD	ZC	ZB	ZA	Part
0		•		>	0	4		W	\	•		Ĩ		(i)	Picture
L78.7" LED strip	D26" "U" shape lamp body	Nut	Steel Cable L74.5"/18#	L59" Steel Wire	Cable protector	steel wire locker	LED Driver	junction caps	ground wire	Nut	Ceiling Plate (D9.8"*H2")	Crossbar Screws	Crossbar D8.7"	Junction box not included	Description
_	1	4	-	4	-	4	-	2	-	4	_	2	-	-	Qty
															Check list

(2)

2

1705D26 D26"*H5"


							С	В	A	Part
										Picture
							H2.8" Crystal	H3.6" Crystal	H4.8" Crystal	Description
							44	29	15	Qty
										Check list

1705D26 D26"*H5"

								P _E
								Part
								Picture
								ure
								Description
								ript
								ion
								Qty
								Ω
								Check
								list
								<u></u>

1705D26 D26"*H5"

Step 2 Canopy Installation Instruction



95

8

1705D26 D26"*H5"


IMPORTANT: Test sockets with bulb before dressing the fixture.

- 1. Attach the Crossbar (ZB) to the Junction Box (ZA) using the two crossbar screws(ZC) which are not supplied and should already be in your box.
- 2. Be sure when connecting the wire use electrician approved junction caps (ZG).
- 3. Stow the excess wire in the junction box(ZA).
- 4. Mounting screws (ZE), attach the fixture to the ceiling.

1705D26 D26"*H5"

Step 3

Frame Assembly Diagram



(3)

Frame Assembly Instructions

Installation:

Please read all instructions carefully.
Before you proceed to install, make sure that the power supply is turned off and remains off until installation is complete. Please note that each part has been assigned a number. Please proceed in a numerical order.

1. Before installation, Release the Screw (02), to adjust the "U" shape lamp body (03) up or down by your wish, after adjusted the lamp body down or up, tighten the screw(02) and fix on the "U" shape lamp body (03).

2. Fixed the Ceiling Cover on the Mounting Bracket (01), then put the screws tightened.
3. Push the steel wire locker(04), to adjust the length of the sttel wire.


8

Crystal Dressing Diagram

TESSING DIAGRAM

Then dressing the chandeller with the crystals please remember to wear either rubber or cotton gloves. So as to prevent any damage

or smudging on the crystals



1. Put the crystalA、B、C as the drawing picture above in the "U" shape lamp body (A-C-B-C-B-C).

Congratulations!

You are now done installing your Elegant Lighting fixture. Sit back and admire each crystal as it will become the statement piece for your room/house.

If you require any additional assistance, please contact us at 1-888-388-3390.

Thank you.

Cleaning and Maintenance of Chandelier Frame
The finish on our chandelier frames and fixture
frames is protected by a durable coating of
lacquer. To clean, use a clean soft, dry cloth. Do
not use any metal polishes, cleaners, abrasives
or any substance which could remove the
protective finish. Failure to follow these
instructions automatically voids the guarantee.

Cleaning and Maintenance of Crystals
Wet a soft cotton fabric in clean warm water and
wipe gently, then polish with a dry soft cotton
fabric

Should you require replacement crystals or pins (the metal connectors attaching the crystals), contact the store where the product was purchased or contact us at the address shown on the reverse side. For ease of ordering, you may use the original crystal trimming instructions provided with this product and circle the items you wish to order, indicating the quantity by writing the number needed adjacent to the circle and faxing it to our customer service department at 215-423-8882. You will be contacted with prices prior toshipment. All orders must be pre-paid.

Elegant Lighting Warranty

chandelier. Breakage is not covered by this original quality during the life of the company will, at its option, repair or or fixture are warranted for a period of two warranty. period. All crystals are guaranteed for their materials or workmanship during the warranty replace any frame that has a defect in the (2) years from the date of purchase. Our The finish and frame of your new chandelier

sent to you with specific instructions. address and phone number shown below. A our customer service department at the written return authorization form will be To make a claim under this warranty, contact

CUSTOMER SERVICE DEPARTMENT

500-550 E. Erie Avenue Philadelphia, PA 19134

Tel: 215-423-8880

Fax: 215-423-8882

Returns and Conditions of Warranty

sale of our products. assume for us, any liability in connection with the authorize nor permit any other person or firm to other obligations or liabilities. Further, we neither resulting from a failure to follow the recommended a pre-authorized facility. We will not be responsible otherwise modified, nor shall it apply to any product apply to any product that has been changed, altered or shipping charges pre-paid. We reseserve the right to customer service department at the address on the is issued in lieu of any and all other guaranteed or maintenance or installation procedures. This guarantee installation or wiring by others, nor for damages responsible for damage incurred during improper inappropriate handling. Also, we will not be held nor for crystal parts or metal frame part that have for any breakage or damages incurred during transit, that has been repaired or altered by anyone other than written return merchandise authorization and return reverse side. Returns will only be accepted with a Returns must be pre-authorized by contacting our warrantee, whether written or implied and any and all the nature of any defect. This guarantee shall not inspect all returned merchandise to fully determine been subject to misuse, negligence, accident or