

Installation manual for

1704D26DAB

Dimensions: D26"*H12.5" L6 Collection: Frisco Hang

Bulb Type : E26 bulb not included

Lamp Frame Weight: 22 LBS

Total Weight: 28.8 LBS



Thank you for choosing our product(s).

Our Company is actively involved in every step of the production.

Our product(s) are designed to be utilized for every application that graces your home or business. We pride ourselves in providing the most prompt and courtesy

service to all of the valued customers. Please find the enclosed detailed instruction and read carefully for proper installation. If you have any questions, our professional customer service team is committed to assisting you, please call our toll free HOTLINE AT:

1-888-388-3390 (L) C (B)

SAFETY

OFF THE CIRCUIT BREAKER. WORKING ON IS SHUT OFF, BY EITHER REMOVING THE FUSE OR TURN Warning: MAKE SURE THE ELECTRICITY TO THE WIRES YOU ARE

CAUTION

- Before assembling the lighting fixture, please read all instructions carefully.
- with care. All frame & crystal components are fragile, pleasehandle
- Required supply circuit: 110 130V/60Hz
- wire, "E" for ground wire. Labeled wires are "L" for live wire, "N" for neutral
- Never install fixture on damp ceiling, the room should be dry and well ventilated
- All electrical components must be installed by licensed electrician and in accordance with the National Electrical Code and the appropriate local electrical


Unpack the Package

our valued customers any other relevant information ready, our customer service number (at the front page), where you purchase from and Service department at 1-888-388-3390. Please have model and missing parts questions, please call our Customer team will provide comprehensive and worry free service to inside the box. If you have any installation, assembling Please open the box carefully and check all the items are

1704D26

D26"*H12.5" L6

Frame Assembly Diagram



1704D26 D26"*H12.5" L6
Step 1
Please use the partslist to ensure you are not missing any parts.

1704D26

PARTS LIST

finial
metal cross
1.5"*H1.7" Quick link
Power Cord 12.8'/SPT-1-18#
junction caps
ground wire
L59"CHAINO4NP Plain Design
Canopy loop (Canopy part)
Canopy ring (Canopy part)
Crossbar 4" (Canopy part)
Canopy cover 5" (Canopy part)
Description

3

2


1704D26 D26"*H12.5" L6

P15	P14	P13	P12	P11	P10	P09	P08	P07	P06	P05	P04	Part
			·	0				d				Picture
		finial	metal plate	finial	Disk	Terminal Block	Socket Cup	socket	DO.37″*H3.74″ pipe	nut	Brass Lamp body	Description
			1	2	1	1	6	6	1	<u> </u>	<u></u>	Qty
												Parts list

1704D26 D26"*H12.5" L6

Step 2

Canopy Installation Instruction



1704D26 D26"*H12.5" L6

IMPORTANT: Test sockets with bulb before dressing the fixture.


- l .Attach the crossbar to the electrical box.
- Pass the lamp wire and ground wire through the loop, canopy ring and center hole of canopy cover.
- 3. Screw2.5" threaded pipe into the crossbar and fasten with hex-nut.
- 4. Pull wires up above the Crossbar.
- 5 . Screw loop threaded on the pipe.
- 6 .Hang the fixture on chain.
- .Make the electrical connections as detailed in the drawing above.
- 3. Secure the canopy cover with threaded canopy ring.


1704D26

D26"*H12.5" L6

Step 3

Frame Assembly Diagram





1704D26 D26"*H12.5" L6

Frame Assembly Instructions

Installation:

assigned a number. Please proceed in a numerical order. Please note that each part has been remains off until installation is complete. that the power supply is turned off and Before you proceed to install, make sure Please read all instructions carefully.

- Hang the canopy parts (01) on the Ceiling Plate.
- Fasten the fixture loop to hang the whole fixture (02).
- Screw the Bulb on the Lamp Holder.

Congratulations !

You are now done installing your Elegant Lighting fixture. Sit back and admire each crystal as it will become the statement piece for your room/house.

If you require any additional assistance, please contact us at 1-888-388-3390.

Thank you.

Cleaning and Maintenance of Chandelier Frame The finish on our chandelier frames and fixture frames is proctected by a durable coating of lacquer. To clean, use a clean soft, dry cloth. Do not use any metal polishes, cleaners, abrasives or any substance which could remove the protective finish.

Failure to follow these instructions automatically voids the guarantee.

Cleaning and Maintenance of Crystals Wet a chamois in clean warm water and wipe gently, then polish with a dry chamois.

To Order Crystal Replacement Parts
Should you require replacement crystals or pins (the metal connectors attaching the crystals), contact the store where the product was purchased or contact us at the address shown on the reverse side. For ease of ordering, you may use the original crystal trimming instructions provided with this product and circle the items you wish to order, indicating the quantity by writing the number needed adjacent to the circle and faxing it to our customer service department at 215-423-8882. You will be contacted with prices prior to shipment. All orders must be pre-paid.

Elegant Lighting Warranty

The finish and frame of your new chandelier or fixture warranted for a period of two (2) years from the date of purchase. Our company will, at its option, repair or replace any frame that has a defect in the materials or workmanship during the warranty period. All crystals are guaranteed for their original quality during the life of the chandelier. Breakage is not covered by this warranty.

To make a claim under this warranty, contact our customer service department at the address and phone number shown below. A written return authorization form will be sent to you with specific instructions.

CUSTOMER SERVICE DEPARTMENT

500-550 E. Erie Avenue

Philadelphia, PA 19134

Tel: 215-423-8880 Fax: 215-423-8882

Returns and Conditions of Warranty

any other person or firm to assume for us, any implied and any and all other obligations or all other guaranteed or warrantee, whether written or procedures. This guarantee is issued in lieu of any and follow the recommended maintenance or installation by others, nor for damages resulting from a failure to damage incurred during improper installation or wiring subject to misuse, negligence, accident or inappropriate for crystal parts or metal frame part that have been any breakage or damages incurred during transit, nor pre-authorized facility. We will not be responsible for been repaired or altered by anyone other than a modified, nor shall it apply to any product that has any product that has been changed, altered or otherwise nature of any defect. This guarantee shall not apply to inspect all returned merchandise to fully determine the shipping charges pre-paid. We reseserve the right to reverse side. Returns will only be accepted with a customer service department at the address on the liability in connection with the sale of our products. liabilities. Further, we neither authorize nor permit handling. Also, we will not be held responsible for written return merchandise authorization and return Returns must be pre-authorized by contacting our